



Made in USA



LUMIRON

LED LIGHTING

“ MEDISON SC SERIES
LEDO 75 SERIES
BUILT IN DIMMER ”


20725 NE. 16 AVE. #A-33
MIAMI, FLORIDA 33179

Tel: (305) 652-2599

Fax: (305) 650-8812

www.lumiron.com

Email: sales@lumiron.com



Benefits and Feature

1. Dimmable, DMX, Wi-Fi, RF Wireless.
2. Low Power Consumption.
3. Easy Installation and Low Maintenance.
4. Custom Lengths and Unique Color Sequencing Available.
5. Indoor and Outdoor.

Application

The new MEDISON LEDO SERIES Linear LED Lighting is a great product to improve the lighting experience for your future Cove and Architectural work, Jewelry Showcases, Museum Lighting, and Marine Lighting. The product contains 18 LED's with single color glamor that create an exceptional view for the eye. Along with a finger, touch dimmable capability, with a built in dimmer.

Specifications

| | | |
|-------------------|---|--------------------------------|
| Lengths | 3 Inch – 48 Inch | *Custom Lengths Available |
| Color Temperature | Warm White / Neutral White / Cool White / Red / Amber / Green / Blue | |
| Wattage | 2.5 Watts | |
| Lumens | 291 lm | |
| Input Voltage | 12 or 24 VDC | |
| View Angle | 120 degrees | |
| LED Spacing | 1.0 Inch Center to Center | |
| LED Type | T3 | |
| IP Rating | Indoor Standard – outdoor IP67 EPX Series | |
| Lens | Clear Acrylic Standard or Milky Lens Standard | |
| Housing | Anodized Clear Aluminum Extrusion * Custom Colors Available (e.g., Gold, Black..) | |
| Mounting | Wall Snap Mounting Standard/Swivel Mounting Brackets | |
| Leads | 2 Foot 18G 2 Cond | *Custom Wire lengths Available |

Order Codes

| SERIES | LENGTH | COLOR TEMP | #LED / F | VOLTAGE | IP LISTING | LENS | MOUNTING |
|----------------------------|----------|--|----------------|-------------|--|------------------------------------|---|
| MEDISON LEDO SERIES | 6" – 10' | CW Cool White NW neutral white WW warm white SCL single color LED | 24L T3 2.5W/FT | 12 or 24VDC | IN Indoor EPX Outdoor | CL clear MK Milky | WS wall snap SV swivel VR velcro MG magnet |

Order Examples

| SERIES | LENGTH | COLOR TEMP | #LED / F | VOLTAGE | IP LISTING | LENS | MOUNTING |
|----------------------------|--------|------------|----------|---------|------------------|-----------------|------------------|
| MEDISON LEDO SERIES | 4'6" | WW | 24L T3 | 24 VDC | IN Indoor | CL clear | WS swivel |


Modeling

Isometric View




LUMIRON
LED LIGHTING

Top View



- DIMMABLE
- 120°
- Transf. Excl.
- IP 20
- IP 67 EPX
-
-
- 12 or 24 VDC
- 12 LED PER/ft
-
-




Dimmer Switch

Lens

LED Board


Extrusion

Side View Extrusion




Application Brackets

Fixed Application Bracket



Swivel Application Bracket



Dimmer

