



Made in USA



LUMIRON

LED LIGHTING

“ MEDISON SC SERIES
TRX 100C SERIES
BUILT IN DIMMER ”


20725 NE. 16 AVE. #A-33
MIAMI, FLORIDA 33179

Tel: (305) 652-2599

Fax: (305) 650-8812

www.lumiron.com

Email: sales@lumiron.com



Benefits and Feature

1. Dimmable, DMX, Wi-Fi, RF Wireless.
2. Low Power Consumption.
3. Easy Installation and Low Maintenance.
4. Custom Lengths and Unique Color Sequencing Available.
5. Indoor and Outdoor.

Application

The new MEDISON TRX 100C SERIES Linear LED Lighting is a great product to improve the lighting experience for your future Cove and Architectural work, Jewelry Showcases, Museum Lighting, and Marine Lighting. The product contains 18 LED's with single color glamor that create an exceptional view for the eye. Along with a finger, touch dimmable capability, with a built in dimmer.

Specifications

Lengths	6 Inch – 48 Inch	*Custom Lengths Available
Color Temperature	Warm White / Neutral White / Cool White / Red / Amber / Green / Blue	
Wattage	6 Watts	
Lumens	581 lm	
Input Voltage	12 or 24 VDC	
View Angle	120 degrees	
LED Spacing	0.5 Inch Center to Center	
LED Type	T3	
IP Rating	Indoor Standard – outdoor IP67 EPX Series	
Lens	Clear Acrylic Standard or Milky Lens Standard	
Housing	Anodized Clear Aluminum Extrusion * Custom Colors Available (e.g., Gold, Black..)	
Mounting	Wall Snap Mounting Standard/Swivel Mounting Brackets	
Diameter	0.99 Inch	
Sensor	8 AMP	

Order Codes


SERIES	LENGTH	COLOR TEMP	#LED / F	VOLTAGE	IP LISTING	LENS	MOUNTING
MEDISON TRX 100C SERIES	6" – 10'	CW Cool White NW neutral white WW warm white SCL single color LED	24L T3 2.5W/FT	12 or 24VDC	IN Indoor EPX Outdoor	CL clear MK Milky	WS wall snap SV swivel VR velcro MG magnet

Order Examples

SERIES	LENGTH	COLOR TEMP	#LED / F	VOLTAGE	IP LISTING	LENS	MOUNTING
MEDISON TRX 100C	4'6"	WW	24L T3	24 VDC	IN Indoor	CL clear	WS swivel

Modeling




Isometric View



LUMIRON
LED LIGHTING




Dimmer Switch

Top View



Front View

0.62 in / 16.0 mm



6 in - 10 ft / 152.0 mm - 3048.0 mm



0.475 in / 12.0 mm

0.405 in / 10.0 mm